

HLD 150_600

HLD SERIES TECHNICAL PRECISION "TOP-LOADING" SCALE WITH DRAUGHT SHIELD



Multifunctional scale, suitable for laboratory and industrial use. Available also CE-M APPROVED for legal for trade use.

Electronic moisture analyser with very high resolution.

DIVISION (g): from 0.002 to 0.01. **CAPACITY (g):** 150, 300, 600.

The best solution
for advanced industrial
applications

TECHNICAL FEATURES

- Backlit LCD display with 7 digits 16mm high.
- Waterproof membrane keypad, with acoustic feedback, with 7 keys.
- Stainless steel plate, size:
 - HLD150 model Ø 80mm
 - HLD300 and HLD600 models Ø 120mm. Draught shield, level and adjustable feet.
- Built-in rechargeable battery (about 30h battery life) and 230 Vac power adapter.
- RS232/c port for connection to PC or printer.
- Packaging: 370x240x250mm size - approximate weight of 2,7kg.
- Upon request:
 - ACCREDIA calibration with issuing of relative certificate
 - CE-M approval in class III.

FUNCTIONS

- counting;
- % weight;
- weight totalisation;
- conversion up to 13 units of measure;
- zeroing;
- zero tracking;
- semi-automatic tare;
- digital calibration;
- backlight command;
- low battery warning.

COUNTING FEATURES

- Internal sensitivity and minimum recommended A.P.W.:

Model	HLD150	HLD300	HLD600
Internal sensitivity g	0,0004	0,0005	0,001
Min. recommended A.P.W. g	0,002	0,005	0,01

VERSIONS

Available versions

Codice	Classe	Piatto Max (mm)	Max (g)	d (g)	M (g)*	Linearità (g) +/-	Ripetibilità (g)
HLD150	--	Ø 80 mm	150	0,002	--	0,002	0,002
HLD300	--	Ø 120 mm	300	0,005	--	0,01	0,005
HLD600	III	Ø 120 mm	600	0,01	0,1	0,02	0,01

(*) CE-M divisions are obtainable only with the relative options.



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
Nogent-sur-Marne
info.fr@diniargeo.com

DINI ARGEO
GMBH
Sinsheim - Germany
info.de@diniargeo.com

DINI ARGEO
UK Ltd
Taunton - United Kingdom
info.uk@diniargeo.com

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China
info.cn@diniargeo.com

DINI ARGEO
WEIGHBRIDGES
Calto (RO) – Italy
info@diniargeo.com



HEAD OFFICE

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 843418 Fax. +39.0536 843521
info@diniargeo.com

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 921784 Fax. +39.0536 926654
service@diniargeo.com



SALES AND TECHNICAL ASSISTANCE SERVICE